

LA-UR-17-31195

Approved for public release; distribution is unlimited.

Title: 2017 Storm Water Control Installation Update

Author(s): Veenis, Steven John

Intended for: Report

Issued: 2018-01-08 (rev.1)





2017 Storm Water Control Installation Update

Erik Loechell

December 21, 2017





Overview



- Performed 65 storm water control installations
- Performed maintenance of 15 storm water controls
 - Drivers:

Storm water control inspections

Site related erosion and changes in site condition


Background, Driver, Goal, Product, Challenges







- Historically received storm water from highly impervious areas in TA-3
 - Headcutting occurring upgradient of wetland
 - Resulted in sediment aggradation in wetland
- New controls installed in 2016 reduced contributing storm water to wetland and previously eroding locations









- Driver- Wetland health and maintenance
- Goal- Reduce further sediment intrusion to wetland. Minimize construction footprint
- Product- 2 log check dams, coir logs, and flow dissipater mostly utilizing on-site materials









Challenges Obtaining on site resources,
 new design for
 log check dams,
 wetland species
 habitat
















• Los Alamos NATIONAL LABORATORY

3M-SMA-0.6

- Surface disposal area for diagnostic tests of weapons components.
 Operational from 1951 to 1978.
 - Expedited clean-up performed in July 2000 after Cerro Grande Fire
- Storm water sampling location not representative of entire hillslope











Top of hillslope

Bottom of hillslope







Los Alamos
NATIONAL LABORATORY

- Driver- Collect representative sample
- Goal- Construct control to divert storm water and obtain a more representative sample from hillslope
- Product- Earthen diversion berm









 Challenges- Mexican Spotted Owl Habitat, radiological Site, firing sites (area closures), weather (rain and lightening), Site access on fire road, secured area

















FST 1943





• Los Alamos

- Material Disposal Area (MDA) M. Consisted of two disposal areas.
 Created during demolition of two HE Sites
 - Debris from
 demolition deposited
 on the surface of the
 MDA
 - All surface debrisremoved during 1995-1996 cleanup










- Driver- Individual Permit
- Goal- Increase retention area
- Product- Earthen berm with greater capacity















EST. 1943





